Clinical Trial Design Strategies

Nina R. Schooler, Ph.D.
Hillside Hospital
Glen Oaks, NY

Parameters

- Site selection
- Subject recruitment
- Trial duration
- Inclusion exclusion criteria
- Randomization
- Treatment blinding
- Assessment blinding

Site Selection

- "Tertiary" Center
 - System in place
 - Experienced staff
 - Experienced subjects
 - How generalizable to other settings

- Community Setting
 - No system
 - Inexperienced staff
 - Possible staff resistance
 - Niave subjects
 - Ready generalizability

Subject Recruitment

- Criterion based
 - Search the halls and charts
 - What is the reference population?
 - Inferential statistics assume that cohort is a sample

- Population based
 - Enumeratepopulation anddraw a sample
 - Reference population is defined
 - Refusers can be readily identified

Trial Duration

- Brief
 - Higher completion rate
 - Most treatments for mental illness not short term
 - No estimate of long- term compliance

- Long-term
 - Completion rate may drop
 - Can estimate longterm effects
 - Can estimate longterm compliance

Inclusion-Exclusion Criteria

Narrow

- No concomitant treatments
- No co-morbid diagnoses
- "Clean" estimate of treatment effects
- Limited "real world" applicability

Broad

- Take "all comers"
- Target treatment effects may be confounded
- This is the "real world"

Randomization

• YES

- Controls for selection bias
- Clinicians andpatients may prefer"clinician's choice"
- May decreas trial participation and generalizability

NO

- Selection bias runswild
- May enhance participation
- Clinician choice confounded with treatment effect

Treatment Blinding

• YES

- Control for biases
- Cumbersome and expensive
- Some treatmentscannot be blinded
- Blind may be broken by side effects

NO

- Lose control of biases
- Like usual care
- Some treatmentscan't be blinded
- Some sites can't treat blindly

Assessment Blinding/Masking

• YES

- Controls bias in non-blind studies
- Logistically complex
- Side effects may break blind
- Non-blind people may "give it away

NO

- Yet anotheropportunity for bias
- Logistically easier
- Treaters can be assessors